



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.


Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

TRANSACTIONS
OF THE
AMERICAN
ENTOMOLOGICAL SOCIETY.



VOL. XXXIII.

HALL OF THE ACADEMY OF NATURAL
SCIENCES OF PHILADELPHIA,
LOGAN SQUARE.

1907.

PRESS OF
P. C. STOCKHAUSEN
PHILADELPHIA

LIST OF PAPERS.

CRESSON (E. T., JR.).	
Some North American Diptera from the Southwest (Plate I)	99
The North American Species of the Dipterous Family Scenopinidæ (Plate II)	109
DIETZ (WM. G., M.D.).	
The North American Species of the Genus <i>Ornix</i> Tr. (Plate IV).	287
FALL (H. C.), AND COCKERELL (T. D. A.).	
The Coleoptera of New Mexico	145
GROSSBECK (JOHN A.).	
Notes on certain described species of Geometridæ, with descriptions of a few new species	335
HASEMAN (LEONARD).	
A Monograph of the North American Psychodidæ, including ten new species and an Aquatic Psy- chodid from Florida (Plates V-VIII)	299
JONES (PAUL R.).	
A Preliminary List of the Asilidæ of Nebraska, with descriptions of New Species	273
KEARFOTT (W. D.).	
New North American Tortricidæ	1
SMITH (HARRY SCOTT).	
Contributions toward a Monograph of the Ceratinidæ of North and Middle America (Plate III)	115
SMITH (JOHN B., SC.D.).	
New Species of Noctuidæ for 1907. No. 1	125
Notes on the Species of <i>Amathes</i> Hbn. (Plates IX-X)	345
Revision of the Species of <i>Pleonectyptera</i> Grt. (Plate XI)	363
VIERECK (HENRY L.).	
Notes and Descriptions of Hymenoptera from the West- ern United States (Plates XII-XIII)	381

INDEX.

The names of new genera and of new species are followed by the name of the Author.

	PAGE		PAGE
<i>Acalles indigens Fall</i>	268	<i>Aphodius rotundiceps Fall</i>	244
<i>Acontia cacola Smith</i>	141	<i>umbricollis Fall</i>	245
<i>Acronycta elisabeta Smith</i>	125	<i>Aphricus luteipennis Fall</i>	232
<i>Acuria insecta</i>	101	<i>Aquatic Psychodid</i>	324
<i>Æthyctera</i>	341	<i>Archips brauniana Kearfott</i>	69
<i>Agrilus townsendi Fall</i>	234	<i>Asilidæ, new species</i>	273
<i>Aleptina leuteomedia Smith</i>	136	<i>Asilus annulatus</i>	286
<i>Alpha cruciferorum Viereck</i>	388	<i>flavipes</i>	286
<i>enigmatus Viereck</i>	389	<i>novæscotiæ</i>	286
<i>globulosiformis Viereck</i>	386	<i>Athous agriotoides Fall</i>	230
<i>marginilineatus Viereck</i>	381	<i>discors Fall</i>	230
<i>Amathes</i>	345	<i>jejunus Fall</i>	231
<i>acta</i>	352, 356	<i>nugalis Fall</i>	228
<i>aggressa</i>	352, 358	<i>palpalis Fall</i>	229
<i>americana</i>	346	<i>quadricollis Fall</i>	229
<i>antapica</i>	352, 357	<i>recticollis Fall</i>	228
<i>bicolorago</i>	352, 353	<i>rufotestaceus Fall</i>	231
<i>decipiens</i>	346, 352, 356	<i>speculifer Fall</i>	229
<i>duscata</i>	352, 360	<i>Atomosia glabrata</i>	281
<i>euroa</i>	352, 359	<i>soror</i>	281
<i>fornica</i>	352, 358	<i>Attelabidæ</i>	211
<i>immaculata</i>	346	<i>Bostrychidæ</i>	185
<i>inops</i>	346, 352	<i>Bruchidæ</i>	200
<i>purpurea</i>	346, 352, 357	<i>Buprestidæ</i>	179
<i>puta</i>	346	<i>Byrrhidæ</i>	176
<i>ralla</i>	346, 352, 360	<i>Byrsopidæ</i>	211
<i>straminea</i>	352, 357	<i>Calandridæ</i>	216
<i>verberata</i>	352	<i>Carabidæ</i>	156
<i>Amphizoidæ</i>	162	<i>Carebara brevicollis Fall</i>	253
<i>Anametis subfusca Fall</i>	261	<i>californica Fall</i>	254
<i>Ancylis intermediana Kearfott</i>	56	<i>Carposina comonana Kearfott</i>	87
<i>Ania brehmeata Grossbeck</i>	343	<i>Cebrio compositus Fall</i>	233
<i>Anothyreus viciniformis Viereck</i>	381	<i>Cenopsis chambersana Kearfott</i>	93
<i>Anthicidæ</i>	207	<i>karacana Kearfott</i>	68
<i>Anthribidæ</i>	218	<i>saracana Kearfott</i>	68
<i>Aphodius abusus Fall</i>	242	<i>Cerambycidæ</i>	191
<i>crassuloides Fall</i>	243	<i>Ceratiuidæ, Monograph of</i>	115
<i>dialytoides Fall</i>	247	<i>Ceratina</i>	116
<i>longitarsis Fall</i>	246	<i>abdominalis Smith</i>	117, 119, 122
<i>moquinus Fall</i>	242	<i>acantha</i>	117, 119, 121
<i>neotomæ Fall</i>	243	<i>amabilis</i>	118
<i>plutonicus Fall</i>	245	<i>arizonensis</i>	116

	PAGE		PAGE
<i>Ceratina atrata</i> <i>Smith</i>	116, 118, 120	<i>Crabro cinctibellus</i> <i>Viereck</i>	401
<i>auriviridis</i> <i>Smith</i>	118, 122	<i>papagorum</i> <i>Viereck</i>	401
<i>azteca</i>	117	<i>viciniformis</i> <i>Viereck</i>	381
<i>bakeri</i> <i>Smith</i>	116, 120	Cryptophagidæ.....	172
<i>capitosa</i>	118, 119	Cucujidæ.....	172
<i>cobaltina</i>	117	Curculionidæ.....	212
<i>cyaniventris</i>	119	<i>Cydia colorana</i> <i>Kearfott</i>	93
<i>diodonta</i> <i>Smith</i>	116, 118, 121	<i>cupressana</i> <i>Kearfott</i>	54
<i>dupla</i>	117, 118	<i>inquilina</i> <i>Kearfott</i>	55
<i>eximia</i>	118	<i>piperana</i> <i>Kearfott</i>	55
<i>gigantea</i> <i>Smith</i>	119, 123	<i>Cymatophora sericeata</i>	341
<i>ignara</i>	119	<i>Cyphomimus ochreus</i> <i>Fall</i>	264
<i>læta</i>	119	<i>Cyrtopogon plausor</i>	277
<i>lunata</i> <i>Smith</i>	116, 118, 119	D ascyllidæ.....	177
<i>metallica</i> <i>Smith</i>	117, 121	<i>Dasyllus astur</i>	282
<i>mexicana</i>	117, 118	<i>fernaldi</i>	282
<i>nanula</i>	117, 118	<i>sacrorum</i>	282
<i>nautlana</i>	119	<i>Dasymutilla apachea</i> <i>Viereck</i>	386
<i>neomexicana</i>	117, 118	Desmestidæ.....	172
<i>pacifica</i> <i>Smith</i>	118, 122	<i>Deromyia angustipennis</i>	280
<i>placida</i>	118	<i>platyptera</i>	280
<i>punctulata</i>	118	<i>Dichelonycha</i>	248
<i>rufipes</i>	117	<i>mormon</i> <i>Fall</i>	249
<i>strenua</i>	117	<i>testaceipennis</i> <i>Fall</i>	248
<i>tejonensis</i>	117	<i>Dioctria rufipes</i> <i>Jones</i>	276
<i>townsendi</i>	119	Diptera, North American.....	99, 115
<i>Cerotaia atrata</i> <i>Jones</i>	280	<i>Doryctes apacheus</i> <i>Viereck</i>	383
<i>Ceutorhynchus notatulus</i> <i>Fall</i>	269	<i>femur-rubrum</i> <i>Viereck</i>	384
<i>solitarius</i> <i>Fall</i>	269	<i>Doryctomorpha shoshonea</i> <i>Viereck</i>	382
<i>tescorum</i> <i>Fall</i>	270	Dysticidæ.....	162
<i>Chætoenema costata</i> <i>Fall</i>	252	E chthodopa pubera.....	276
<i>Chrysobothris convexa</i> <i>Fall</i>	233	Elateridæ.....	177
Chrysomelidæ.....	194	<i>Elmis addendus</i> <i>Fall</i>	226
<i>Chytolita fulicis</i> <i>Smith</i>	143	<i>antennatus</i> <i>Fall</i>	227
Cicindelidæ.....	154	<i>pecosensis</i> <i>Fall</i>	226
Ciidæ.....	185	<i>Enarmonia angleseana</i> <i>Kearfott</i>	64
<i>Cimbocera conspersa</i> <i>Fall</i>	261	<i>dana</i> <i>Kearfott</i>	65
Cistelidæ.....	205	<i>dandana</i> <i>Kearfott</i>	65
<i>Cleora formosata</i>	342	<i>dyarana</i> <i>Kearfott</i>	58
Cleridæ.....	183	<i>edwardsiana</i> <i>Kearfott</i>	58
<i>Clerus corallinus</i> <i>Fall</i>	240	<i>fana</i> <i>Kearfott</i>	64
Coccinellidæ.....	169	<i>garacana</i> <i>Kearfott</i>	66
Coleoptera of New Mexico.....	145	<i>lana</i> <i>Kearfott</i>	59
<i>Colydiidæ</i>	172	<i>placarana</i> <i>Kearfott</i>	60
<i>Commophila huachucana</i> <i>Kearfott</i>	78	<i>sandersana</i> <i>Kearfott</i>	63
<i>Conotrachelus invadens</i> <i>Fall</i>	268	<i>tana</i> <i>Kearfott</i>	62
<i>Cophura cristata</i>	280	<i>vana</i> <i>Kearfott</i>	62
<i>Crabro canonicola</i> <i>Viereck</i>	402	<i>vancouverana</i> <i>Kearfott</i>	63

INDEX.

iii

	PAGE
<i>Enarmonia walsinghami Kearfott</i>	57
<i>wana Kearfott</i>	60
<i>Endomychidæ</i>	171
<i>Ensina humilis</i>	101
<i>Eois pallida</i>	341
<i>volucrata</i>	341
<i>Epicauta ingrata Fall</i>	258
<i>ruidosana Fall</i>	258
<i>Epimechus nanulus Fall</i>	267
<i>stragulus Fall</i>	267
<i>Epinotia dietziana Kearfott</i>	92
<i>haimbachiana Kearfott</i>	51
<i>plumbolineana Kearfott</i>	53
<i>septemberana Kearfott</i>	51
<i>Epuræa alticola Fall</i>	223
<i>Erax cinerascens</i>	283
<i>stamineus</i>	283
<i>Erotylidæ</i>	171
<i>Etyphus townsendi</i>	107
<i>Euæsthetus</i>	219
<i>neomexicanus Fall</i>	219
<i>Euaresta abstersa</i>	106
<i>araucosa</i>	105
<i>bella</i>	105
<i>pura</i>	105
<i>tapetis</i>	105
<i>timida</i>	105
<i>webbii</i>	1p5
<i>Eucestia rotundata</i>	335
<i>Euchlæna occantaria</i>	343
<i>Eucosma bobana Kearfott</i>	26
<i>boxeana Kearfott</i>	87
<i>brightonana Kearfott</i>	23
<i>canariana Kearfott</i>	18
<i>cocana Kearfott</i>	26
<i>dodana Kearfott</i>	27
<i>fandana Kearfott</i>	19
<i>floridana Kearfott</i>	21
<i>fofana Kearfott</i>	28
<i>gandana Kearfott</i>	20
<i>handana Kearfott</i>	20
<i>hohana Kearfott</i>	28
<i>hopkinsana Kearfott</i>	36
<i>idahoana Kearfott</i>	90
<i>immaculana Kearfott</i>	35
<i>johnsonana Kearfott</i>	36
<i>kandana Kearfott</i>	20
<i>kokana Kearfott</i>	29

	PAGE
<i>Eucosma landana Kearfott</i>	18
<i>lolana Kearfott</i>	29
<i>mandana Kearfott</i>	17
<i>miscana Kearfott</i>	91
<i>momana Kearfott</i>	30
<i>nandana Kearfott</i>	17
<i>nomana Kearfott</i>	30
<i>palousana Kearfott</i>	34
<i>pandana Kearfott</i>	17
<i>popana Kearfott</i>	31
<i>randana Kearfott</i>	21
<i>rorana Kearfott</i>	31
<i>sandana Kearfott</i>	22
<i>snyderana Kearfott</i>	89
<i>sonomana Kearfott</i>	27
<i>spaldingana Kearfott</i>	19
<i>sosana Kearfott</i>	32
<i>subinvieta Kearfott</i>	33
<i>tandana Kearfott</i>	23
<i>totana Kearfott</i>	32
<i>vandana Kearfott</i>	24
<i>vomonana Kearfott</i>	90
<i>vovana Kearfott</i>	33
<i>walkerana Kearfott</i>	89
<i>wandana Kearfott</i>	24
<i>womonana Kearfott</i>	88
<i>xandana Kearfott</i>	24
<i>yandana Kearfott</i>	25
<i>zandana Kearfott</i>	25
<i>Eulia niscana Kearfott</i>	94
<i>Eumenes bolliformis Viereck</i>	387
<i>cruciferorum Viereck</i>	388
<i>enigmatus Viereck</i>	389
<i>globulosiformis Viereck</i>	386
<i>marginilineatus Viereck</i>	381
<i>Europs striatulus Fall</i>	224
<i>Eutreta sparsa</i>	101
<i>Euxoa epictata Smith</i>	130
<i>moxa Smith</i>	129
<i>Evetria burkeana Kearfott</i>	4
<i>colfaxiana Kearfott</i>	3
<i>monophylliana Kearfott</i>	1
<i>pasadenana Kearfott</i>	3
<i>pinicolana (errata)</i>	97
<i>sabiniana Kearfott</i>	2
<i>zozana Kearfott</i>	2
Flebotomus	322
<i>cruciatus</i>	322

	PAGE		PAGE
<i>Flebotomus vexator</i>	322	<i>Mesoleuca californiata</i>	336
G <i>Geometridæ</i>	335	<i>ethela</i>	339
<i>Gorytes gulielmi Viereck</i>	408	<i>Metatrachia</i>	109, 112
<i>papagorum Viereck</i>	400	<i>bulbosus</i>	112
<i>subaustralis Viereck</i>	398	<i>Monommidæ</i>	205
<i>Gyrinidæ</i>	163	<i>Monotomidæ</i>	176
H <i>Haliplidæ</i>	162	<i>Mordella fuscocinerea Fall</i>	254
<i>Hedysomus wichitus Viereck</i>	404	<i>perlineata Fall</i>	254
<i>Heteroceridæ</i>	176	<i>Mordellidæ</i>	206
<i>Heteropogon nigripes Jones</i>	279	<i>Mordellistena</i>	255
<i>Heterothops mediseris Fall</i>	220	<i>divisa</i>	257
<i>Histeridæ</i>	173	<i>errans Fall</i>	256
<i>Holcocephala abdominalis</i>	278	<i>festiva Fall</i>	255
<i>Holcopogon seniculus</i>	279	<i>pallens</i>	255
<i>Homoglæa dives Smith</i>	135	<i>sericans Fall</i>	256
<i>Hydriomena grandiosa</i>	329	<i>suspecta Fall</i>	256
<i>indefinata Grossbeck</i>	336	<i>Mutilla apachea Viereck</i>	386
<i>occidens</i>	336	<i>Mycetophagidæ</i>	172
<i>Hydrophilidæ</i>	163	<i>Mydas abdominalis</i>	107
<i>Hymenoptera of Western U. S.</i>	381	<i>cletpis</i>	107
<i>Hyperaspis hæmatosticta Fall</i>	222	<i>luteopennis</i>	107
<i>Hypoesthesus Fall</i>	265	<i>Myodites vierecki Fall</i>	259
<i>atratus Fall</i>	266	N <i>Narthecinus breviceps</i>	223
I <i>Phaulax triangulifera Viereck</i>	384	<i>grandiceps</i>	223
L <i>Lagriidæ</i>	205	<i>monticola Fall</i>	222, 223
<i>Lampria rubriventris</i>	282	<i>simulator</i>	223
<i>Lampyridæ</i>	181	<i>striaticeps Fall</i>	222, 223
<i>Laphria gilva</i>	283	<i>Neaspilota alba</i>	101
<i>Laphystia sp.</i>	274, 275	<i>Neomedon piciventre Fall</i>	220
<i>Lasiopogon quadrivittatus Jones</i>	278	<i>Nitidulidæ</i>	174
<i>Lathridiidæ</i>	175	<i>Noctuidæ, New species</i>	125
<i>Leptogaster murinus</i>	273	<i>Nusa fulvicauda ?</i>	281
<i>Leptura barberi Fall</i>	250	<i>Nyssus intermedius</i>	409
<i>cockerelli Fall</i>	251	O <i>chodæus gnatho Fall</i>	247
<i>insignis Fall</i>	251	<i>mimius Fall</i>	248
<i>kerniana Fall</i>	249	<i>Odynerus anormiformis Viereck</i>	407
<i>subcostata Fall</i>	249	<i>canaliculatus Viereck</i>	392
<i>Limoniæ sinuifrons Fall</i>	227	<i>cochisensis Viereck</i>	395
<i>Lucanidæ</i>	185	<i>congressus Viereck</i>	405
<i>Luperodes semiflavus Fall</i>	252	<i>guelima Viereck</i>	408
M <i>Malachidæ</i>	182	<i>hidalgiformis Viereck</i>	391
<i>Mallophora guildiana</i>	284	<i>maricoporum Viereck</i>	397
<i>Maricopodynerus maricoporum Vh</i>	397	<i>papagorum Viereck</i>	394
<i>Melandryidæ</i>	205	<i>pinorum Viereck</i>	405
<i>Meloidæ</i>	208	<i>provisoreus Viereck</i>	396
<i>Mesoleuca abacta</i>	339	<i>pulverulenta Viereck</i>	406
<i>atrifasciata</i>	338	<i>rectangulus Viereck</i>	393
<i>aurata</i>	338	<i>spectabiliformis Viereck</i>	390

INDEX.

v

	PAGE
<i>Odynerus sulfuritinctus Viereck</i>	389
<i>tempiferus Viereck</i>	392
<i>yumus Viereck</i>	397
<i>Edemeridæ</i>	206
<i>Olethreutes coranana Kearfott</i>	10
<i>daeckeana Kearfott</i>	12
<i>devotana Kearfott</i>	16
<i>galaxana Kearfott</i>	9
<i>glitranana Kearfott</i>	9
<i>gogana Kearfott</i>	8
<i>islandana Kearfott</i>	80
<i>mana Kearfott</i>	14
<i>ochromediana Kearfott</i>	11
<i>provana Kearfott</i>	16
<i>removana Kearfott</i>	15
<i>rosaochreana Kearfott</i>	11
<i>rubripunctana Kearfott</i>	14
<i>separatana Kearfott</i>	13
<i>wellingtoniana Kearfott</i>	13
<i>Ophryastes symmetricus Fall</i>	260
<i>Ornix</i>	287
<i>albifasciella</i>	295
<i>anglicella</i>	289, 294
<i>arbitrella Dietz</i>	289, 293
<i>arbutifoliella Dietz</i>	289, 296
<i>boreasella</i>	289, 290
<i>conspicueella Dietz</i>	289, 293
<i>cratægifoliella</i>	289, 292
<i>dubitella Dietz</i>	289, 292
<i>guttea</i>	289, 290
<i>kalmiella Dietz</i>	289, 291
<i>melanotella Dietz</i>	289, 293
<i>obliterella Dietz</i>	289, 297
<i>preciosella Dietz</i>	289, 291
<i>prunivorella</i>	289, 294
<i>quadripunctella</i>	289, 295
<i>solitariella Dietz</i>	290
<i>strobivorella Dietz</i>	289, 296
<i>vicinella Dietz</i>	289, 296
<i>Orthosia acta Smith</i>	133
<i>aggressa Smith</i>	135
<i>antipicta Smith</i>	134
<i>fornica Smith</i>	134
<i>inops</i>	360
<i>straminea Smith</i>	132
<i>Ospirocercus abdominalis</i>	273
<i>Othniidæ</i>	205
<i>Otidocephalus rhois Fall</i>	266

	PAGE
<i>Otiiorhynchidæ</i>	211
<i>Oxyenemis adustus Smith</i>	139
<i>baboquavaria Smith</i>	137
<i>gustus Smith</i>	138
<i>yuma Smith</i>	138
Pachymenes bolliformis Viereck	387
<i>Palaminus amplipennis Fall</i>	221
<i>Pandeletejus cinereus</i>	264
<i>hilaris</i>	264
<i>rotundicollis Fall</i>	262, 263
<i>simplarius Fall</i>	263, 264
<i>subtropicus Fall</i>	263, 264
<i>Pandemis pyrusana Kearfott</i>	70
<i>Parateuctus erinitus Fall</i>	253
<i>Parnidæ</i>	176
<i>Pedilophorus lateralis Fall</i>	225
<i>subcupreus Fall</i>	225
<i>subsetosus Fall</i>	224
<i>Pepsis angustimarginata Viereck</i>	398
<i>Pericoma</i>	325
<i>americana</i>	303, 309
<i>bipunctata</i>	303, 305
<i>californica</i>	303, 304
<i>furcata</i>	303, 306
<i>longiplata Haseman</i>	303, 308
<i>ocellaris</i>	303, 309
<i>olympia</i>	303, 305
<i>scala Haseman</i>	303, 307
<i>sitchana</i>	303, 305
<i>trialbawhorla Haseman</i>	303, 306
<i>tridactila</i>	303, 304
<i>triloba</i>	303, 304
<i>truncata</i>	303, 309
<i>variegata</i>	303, 308
<i>Perigea morosa Smith</i>	141
<i>Petrophora spaldingaria Grossbeck</i>	340
<i>volucer</i>	340
<i>Phænodus caddous Viereck</i>	403
<i>Phalacridæ</i>	168
<i>Phalonia aurorana Kearfott</i>	83
<i>bana Kearfott</i>	73
<i>basiochreana Kearfott</i>	78
<i>biscana Kearfott</i>	75
<i>bomonana Kearfott</i>	75
<i>carmelana Kearfott</i>	76
<i>cinnatana Kearfott</i>	78
<i>discana Kearfott</i>	78
<i>elderana Kearfott</i>	84

	PAGE		PAGE
<i>Phalonia formonana Kearfott</i>	81	<i>Proteopteryx faracana Kearfott</i>	47
<i>foxcana Kearfott</i>	84	<i>haracana Kearfott</i>	46
<i>giscana Kearfott</i>	75	<i>laracana Kearfott</i>	45
<i>listerana Kearfott</i>	80	<i>maracana Kearfott</i>	46
<i>maiana Kearfott</i>	82	<i>Proteoteras arizonæ Kearfott</i>	48
<i>nonlavana Kearfott</i>	85	<i>crescentana Kearfott</i>	49
<i>obispoana Kearfott</i>	77	<i>naracana Kearfott</i>	50
<i>sublepidana Kearfott</i>	82	<i>torontana Kearfott</i>	50
<i>toxcana Kearfott</i>	85	<i>Psammodius ambiguus Fall</i>	241
<i>vachelliana Kearfott</i>	80	<i>Pselaphidæ</i>	165
<i>viscana Kearfott</i>	84	<i>Pseudatrichia</i>	109, 112
<i>voxcana Kearfott</i>	83	<i>flaviceps</i>	113, 114
<i>wiscana Kearfott</i>	77	<i>griseola</i>	112, 113
<i>zaracana Kearfott</i>	74	<i>longurio</i>	112, 114
<i>ziscana Kearfott</i>	76	<i>pilosa</i>	113, 114
<i>zoxcana Kearfott</i>	86	<i>unicolor</i>	112, 113
<i>Philereme formosa</i>	337	<i>Psychodidæ, North American</i> ...	299
<i>nigrescens</i>	337	<i>Psychoda</i>	325
<i>Phyllotrox quadricollis Fall</i>	265	<i>albipunctata</i>	310, 313
<i>Plagiotoma obliqua</i>	100	<i>albitarsis</i>	310, 313
<i>Pleonectyptera</i>	363	<i>alternata</i>	311, 320
<i>finitima</i>	368, 377	<i>bicolor</i>	310, 314
<i>geometralis</i>	367, 370	<i>cinerea</i>	310, 317
<i>habitalis</i>	367, 370	<i>elegans</i>	310, 317
<i>histrionalis</i>	368, 378	<i>floridana Haseman</i>	310, 316
<i>immaculalis</i>	367, 374	<i>horizontala Haseman</i>	310, 313
<i>incusalis</i>	367, 372	<i>longifringa Haseman</i>	310, 318
<i>parallelus Smith</i>	367, 373	<i>marginalis</i>	310, 311
<i>punitalis Smith</i>	367, 375	<i>minuta</i>	310, 318
<i>pyralis</i>	367, 368	<i>nigra</i>	310, 314
<i>rectalis Smith</i>	367, 375	<i>nitida</i>	310, 311
<i>reversalis Smith</i>	367, 371	<i>nocturnale Haseman</i>	310, 319
<i>secundalis Smith</i>	368, 376	<i>opposita</i>	311, 321
<i>subflavidalis</i>	368, 378	<i>schizura</i>	310, 316
<i>tenalis Smith</i>	368, 379	<i>sigma</i>	311, 321
<i>Pogonosoma dorsatum</i>	281	<i>signata</i>	311, 320
<i>Polemius binotatus Fall</i>	236	<i>slossoni</i>	310, 314
<i>regularis Fall</i>	235	<i>snowi Haseman</i>	310, 311
<i>Polychrosis ambrosiana Kearfott</i>	8	<i>superba</i>	310, 315
<i>aruncana Kearfott</i>	5	<i>uniformata Haseman</i>	310, 319
<i>magnoliana Kearfott</i>	6	<i>Ptinidæ</i>	184
<i>vernioniana Kearfott</i>	7	<i>Pycnopogon cirrhatus</i>	279
<i>yaracana Kearfott</i>	5	<i>Pythidæ</i>	206
<i>Proctacanthus milbertii</i>	283	<i>Rachela hyperborea</i>	335
<i>Promachus bastardii</i>	284	<i>latipennis</i>	335
<i>fitchii</i>	284	<i>Rhadiurgus leucopogon</i>	286
<i>vertebratus</i>	284	<i>Rhinomaceridæ</i>	211
<i>Proteopteryx albicapitana Kearfott</i> ..	47	<i>Rhipiceridæ</i>	177

	PAGE		PAGE
Rhipiphoridae	211	Stibadium fulginosa <i>Smith</i>	140
Rhynchitidae	211	<i>hutsoni Smith</i>	140
<i>Saropogon adustus</i>	279	Stichopogon trifasciatus	279
Scaphidiidae	168	Stilicis oblitus <i>Fall</i>	221
Scarabæidae	185	Strauzia diffusa	100
Scelolophia formosa	340	<i>longipennis</i>	99
Scenopinidae	109	Syndipnus erythrogaster <i>Viereck</i>	385
Scenopinus	109	<i>Tachy cockerelli Fall</i>	218
<i>albidipennis</i>	111	Tæniocampa saleppa <i>Smith</i>	132
<i>fenistralis</i>	110	Telephorus insipidus <i>Fall</i>	235
<i>glabrifrons</i>	110	Tenebrionidae	201
<i>nubilipes</i>	110, 111	Tephritis clathrata	101
Schinia buta <i>Smith</i>	131	<i>corpulenta Cresson</i>	103
<i>ernesta Smith</i>	131	<i>despecta</i>	105
<i>sara Smith</i>	130	<i>dupla Cresson</i>	102
Scleropogon helvolus	273	<i>fibulata</i>	104
<i>similis Jones</i>	274	<i>finalis</i>	101
Scolytidae	217	<i>inornata</i>	104
Seydmænidae	165	<i>murina</i>	102
Selidosoma delicatum	342	<i>pallidipennis Cresson</i>	104
Semiophora atoma <i>Smith</i>	126	<i>umbrata Cresson</i>	102
<i>grisatra Smith</i>	125	Thiodia annetteana <i>Kearfott</i>	42
Setagrotis dernarius <i>Smith</i>	128	<i>asphodelana Kearfott</i>	42
<i>ducalis Smith</i>	128	<i>aspidicana Kearfott</i>	38, 39
<i>filiis Smith</i>	127	<i>awemeana Kearfott</i>	38, 39, 41
Silphidae	164	<i>baracana Kearfott</i>	43
Sparganothis bistriata <i>Kearfott</i>	67	<i>caracana Kearfott</i>	43
<i>taracana Kearfott</i>	66	<i>daracana Kearfott</i>	44
<i>tristriata Kearfott</i>	67	<i>essexana Kearfott</i>	38, 39
<i>yumana Kearfott</i>	67	<i>ferruginana</i>	36, 39
Sphindidae	185	<i>formosana</i>	38
Spilographa obfuscata	100	<i>kiscana Kearfott</i>	92
Spondylidae	190	<i>radiatana</i>	37, 38
Staphylinidae	165	<i>raracana Kearfott</i>	44
Staphylinus modestus <i>Fall</i>	219	<i>roseotermianana Kearf.</i>	38, 39, 40
Stenodynerus anormiformis <i>Vier.</i>	407	<i>umbrastriana Kearfott</i>	38, 39, 40
<i>cochisensis Viereck</i>	395	Throscidae	179
<i>congressus Viereck</i>	405	Tolmerus callidus	285
<i>gulielmi Viereck</i>	408	<i>notatus</i>	285
<i>papagorum Viereck</i>	394	Tornos abjectarius	342
<i>provisoreus Viereck</i>	396	Tortricidae, New N. Amer.	1
<i>rectangulis Viereck</i>	393	Tortrix albicomana	73
<i>tempiferus Viereck</i>	392	<i>chioccana Kearfott</i>	72
<i>yumus Viereck</i>	397	<i>cockerellana Kearfott</i>	71
Stenopogon æacidinus	274	<i>curvalana Kearfott</i>	73
<i>consanguineus</i>	274	<i>dorsipurpurana Kearfott</i>	73
<i>inquinatus</i>	274	<i>kukukana Kearfott</i>	70
Stenoprosopus ? n. sp.	284	<i>nervosana Kearfott</i>	71

	PAGE		PAGE
<i>Tortrix seminolana</i> <i>Kearfott</i>	71	<i>Triclis flavipilis</i> <i>Jones</i>	275
<i>Trichalophus arcuatus</i> <i>Fall</i>	264	<i>Trogositidæ</i>	176
<i>Trichochrous bicoloripes</i> <i>Fall</i>	239	<i>Trypetidæ</i>	99
<i>incultus</i> <i>Fall</i>	238	U <i>lomyia</i>	325
<i>mixtus</i> <i>Fall</i>	237	<i>Urellia eugenia</i> ..	106
<i>placatus</i> <i>Fall</i>	238	<i>mevarna</i>	106
<i>prosternalis</i> <i>Fall</i>	240	<i>radifera</i>	106
<i>similis</i> <i>Fall</i>	239	<i>stigmatica</i>	106
<i>sophiæ</i> <i>Fall</i>	236	<i>vicina</i>	106
<i>Trichomyia</i>	323	Y <i>rias terminalis</i> <i>Smith</i>	142
<i>lanceolata</i>	323	Z <i>onitis martini</i> <i>Fall</i>	257
<i>unipunctata</i> <i>Haseman</i>	323	<i>vigilans</i> <i>Fall</i>	257